ORAL drug for LEUCORRHOEA & Constant Back-Ache

Restorative after Delivery

Tablet MYRON (Alarsin)

Hira bol, Guggul, Bang Bhasma, Kasis, Shilajit, Lodhar, Dhavdi Flower Ardusi Leaves, Ardusi Ghan, Raswanti, Abhrak Bhasma

(usually a course of 200 tablets is sufficient) positive advantages:

- Non-toxic, no side effects, no irritation, nausea or vomiting.
- Myrrh & Guggul: These are excreted by the genito-urinary tract through the mucous membrane. During excretion they disinfect, stimulate, tone up and regulate functions of these organs. They are also urinary antiseptic, emmenagogue, carminative and stomachic.
- . Guggul like other oleo-resins is useful in anemia and debility.
- Traditionally Myrrh (Bol, Hirabol, Vellaippa-polam) and Guggul are used as restorative after delivery for urinary tone, to relieve constant back-ache, girdle pain and to check Obesity.
- Shilajit & Bang: Anti-inflammatory, anti-bacterial, antiseptic, disinfectant, cooling, diuretic and tonic. Useful In Leucorrhoea and urinary tract diseases.
- · Abhrak Bhasma: Urinary antiseptic and a restorative tonic. Its effect is much enhanced with Kasis bhasma.
- Kasis Bhasma: is most easily assimilable iron. Is haematinic without the usual side effects of iron therapy.
- Myron: Is an excellent adjuvant to specific local treatment.
- After Cauterisation: The healing of cervical erosion is much quicker with Myron as supportive therapy.
- Decrease In pH value: Myron therapy decreases pH value in both specific and non-specific Leucorrhoea. This increases resistance power of vaginal epithelium. Thus it helps to give relief in Leucorrhoea and associated symptoms.

INDICATIONS

- Leucorrhoea Back-ache Cervicitis; Endometritis; Pruritus Vulvae; Pelvic inflammatory Diseases: Dysuria as an adjuvant to specific local/surgical therapy
- · Associated Sterility.
- Restorative after delivery: Relives back-ache and girdle pain, tones up and helps involution of uterus prevents Obesity.

DOSAGE

- Myron 2 tablets thrice a day for 15 days. Then 2 tablets twice a day for 4-6 weeks.
- As supportive therapy: 2 tablets two times a day.
- As Restorative after Delivery: Myron 2 tablets twice a day for 8 weeks.

Trichomonas Vaginitis: Moniliasis & Resistant Leucorrhoea:

MYRON + BANGSHIL 1 tablet thrice a day of each for a month and then MYRON 1 tablet thrice a day for 1 -2 months. Not to be given on empty stomach and during pregnancy.

Why BANGSHIL & MYRON?

BANGSHIL: is anti-inflammatory, antibacterial, antiseptic, astringent, diuretic, healing and cooling. It raises body resistance, induces muscular and nervine relaxation and a sense of well-being. It restores normal physiological actions of G.U. System.

HUSBAND - shall also be given Bangshil 2 tablets thrice a day for 2-3 weeks when treating a case of Trichomonas Vaginitis.

MYRON, BANGSHIL available at Chemists in PACKS of 50 & 100 tablets

ALARSIN 205, GIDC, Pandesara, Surat, Gujarat.

H.O.: Alarsin House, A/32, Road No. 3, M.I.D.C., Andheri (E), Mumbai 400 093.